## LinkConnect™ Mini DisplayPort to HDMI Cable 1, 2, and 3 meters



### Introduction

Atlona LinkConnect™ MDP2H High Speed Mini DisplayPort to HDMI cables provide reliable, consistent AV performance, and come with an Atlona Advantage lifetime warranty. The LinkConnect family of cables includes a comprehensive range of options for connector type, length, and budget, so it's easy to customize to fit any application.

Designed to work with the Pocket 3H (AT-PKT-3H) tabletop cable access enclosure and an Atlona switcher installed below the table, LinkConnect MDP2H cables offer you the right length to minimize excess cable. This combination helps ensure a clean, uncluttered meeting space minimizing in-room cable issues.

### **Key Features**

#### Installation made easy

- LinkConnect cables can be ordered with other Atlona equipment and arrive on-site, together.
- Single source supplier minimizes installation delays and ensures compatibility.

### Available in 1, 2, and 3 meter (3.3, 6.6, and 9.8 feet) lengths

- Get the cable length you need for your specific installation.
- Provide an uncluttered, tangle-free meeting room or workspace.

### **Locking HDMI connector**

- Ensure a secure cable connection to compatible Atlona equipment.
- Eliminate errors due to improperly connected cables.

AT-LC-MDP2H 1



# LinkConnect™ Mini DisplayPort to HDMI Cable 1, 2, and 3 meters

## **Specifications**

Video	
HDMI	2.0
DisplayPort <sup>(1)</sup>	1.2a
HDCP	Up to 2.2
Video	UHD/HD/SD: up to 4Kx2K@60hz 4:4:4 VESA: up to 2560×2048
Audio	Passes through up to Dolby <sup>®</sup> Digital, DTS® 5.1, Dolby Digital Plus <sup>™</sup> , Dolby TrueHD, DTS-HD Master Audio <sup>™</sup> , Dolby Atmos <sup>®</sup> , DTS:X <sup>®</sup>
Bandwidth	21.6 Gbps
Length	1 m (3.3 ft), 2 m (6.6 ft), 3 m (9.8 ft)
Shielding	Triple Shielded
Cable Diameter	1 & 2 meter lengths: 5.5 mm (0.22 in); 3 meter length: 6 mm (.24 in)
Jacket Material	PVC VW-1
Conductor	1 & 2 meter lengths: 32 AWG; 3 meter length: 30 AWG
Connector	Gold-plated
Screw	M3*0.5 mm
Bend Radius	100 mm
Fire Rating	CL2

Certification	
Cable	CE, FCC, ICES

### **Footnotes**

(1) DisplayPort does not support 4:2:0

AT-LC-MDP2H 2



### LinkConnect™ **Mini DisplayPort to HDMI Cable** 1, 2, and 3 meters

### Copyright, Trademark, and Registration

© 2023 Atlona Inc. All rights reserved. "Atlona" and the Atlona logo are registered trademarks of Atlona Inc. Pricing, specifications and availability subject to change without notice. Actual products, product images, and online product images may vary from images shown here.



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI licensing Administrator, Inc.