



Introduction

The Atlona AT-VTP-700VL is a Velocity[™] 7" touch panel with side mounted LED lighting. It features contemporary, refined styling with 1024×600 native resolution and a capacitive glass surface. The VTP-700VL is an ideal user interface for AV control or room scheduling in corporate and education environments. Bright, side-mounted LED's provide a visual representation of room status or add emphasis to control functions. The panel ships with a dual-purpose one-gang wall and glass mount kit, and its standard VESA 75 pattern provides compatibly with a wide variety of other options. The optional AT-VTP-VTM tabletop mounting kit is available for placement on a meeting table or lectern. The VTP-700VL features Power over Ethernet (PoE), enabling a single network connection for data and power. Setting up the touch panel is easy, with room scheduling and AV control GUIs automatically uploaded from the Velocity hardware or software server gateway during system configuration.

Applications

• **AV control** Ideal for conference rooms and classrooms as the primary user interface for AV system control.

Room Scheduling Great for lobbies, hallways, or outside of any meeting space that requires a quick and easy visual means of displaying room availability.



Key Features

- Room scheduling and AV control single, flexible touch panel platform that can be used for a variety of applications.
- Side LED lighting lights on sides of the touch panel can be configured for room scheduling or AV control.
- Capacitive touch screen with 1024x600 resolution.
- Upgraded processing and memory for better response as well as faster page loading.
- Fast, streamlined setup room scheduling and AV control GUIs are automatically loaded by the Velocity hardware or software server gateway.
- Dual purpose glass and wall mount compatible with one-gang US, UK, and EU openings is included.
- VESA 75 pattern for compatibility with third-party mounts.
- Optional AT-VTP-VTM tabletop mounting kit for freestanding placement on a meeting table or lectern.
- Contemporary, refined styling and aesthetics.
- Configurable audio feedback available for button presses.
- Gigabit Ethernet port PoE remote power and network connection with a single cable.
- Available in black



Specifications

Display		
Panel	TFT LCD, 10 point touch projected capacitive	
Resolution	1024 x 600	
Aspect Ratio	17:10 wide	
Contrast Ratio	600:1	
Viewing Angle	H 140° / V 130°	
Viewing Area	7" LCD	
Brightness	240 cd/m2	
Mount		
Standard	VESA 75	
Туре	Wall, table, and glass	
Audio		
Speaker	2 x 2 W	
IP		
Port	1 x RJ45	
Standards and Protocols	DHCP, HTTP, HTTPS, SFTP, SMTP, SNMP, SSH, TCP, UDP, IEEE 802.1x	
Ethernet Speed	10/100/1000 Mbps	
Addressing	DHCP, static	
Temperature	Fahrenheit	Celsius
Operating	32 to 104	0 to 40
Storage	14 to 131	-10 to 55
Humidity (RH)	10% to 90%, non-condensing	
D		
Power		
PoE+	IEEE 802.3at (PoE+)	
Dimensions	Inches	Millimeters
H x W x D	7.41 x 4.74 x 0.99	188.3 x 120.3 x 25.2
Weight	Pounds	Kilograms
Device	1.10	0.50
Certification		
Device	CE, FCC, RCM, China RoHS	
DEVICE		
Warranty		
Warranty	2-year limited	
2		

Accessories

SKU	Description	
AT-VTP-VTM	VESA Tabletop Mounting Kit for Velocity Control System Touch Panels	
AT-VTP-FMK-7-BL	Flush Mount Kit for Velocity 7" Panels	



Copyright, Trademark, and Registration

© 2024 Atlona Inc. All rights reserved. "Atlona" and the Atlona logo are registered trademarks of Atlona Inc. Pricing, specifications and availability subject to change without notice. Actual products, product images, and online product images may vary from images shown here.